

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishme	ant Nama			Telephone Number	Date of In	spection	PERMIT #
Establishin		- // .	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ļ [*]	(mm/dd/yr)		
	<u> </u>	<i> †</i>	ng Wang	8/2-542-2728	ا	٠	18-
Establishme	ent Addres	s (nu	mber and street, city, state, zip code)	te e e	6 -/2	19	115
2/23	E. Spr	179	St New Albany. IN 47150		, ,		1/>
Owner	1,	•		Purpose:	Follow-up Release Date		
	Kon	14	Huang Ni	1. Routine	1 .		
Owner's A	ddress	,		2. Follow-up	Summary of Violations:		
	7123	E.	Spring St	1	Summary of Violations:		
Person in C		<u> </u>	Opina) o	3. Complaint	1 1 8 1		
		11	14	4. Pre-Operational	$C_{NC} = R_{NC} = R_{NC}$		
71.0	079 1	700	ing Ni	5. Temporary	Marie The God I I Con		
Responsible	e Person's	L-ma	il	6. НАССР	Menu Type (See back of page)		of page)
Certified F	ood Manag <i>Kon</i> 5	ger Ho	ang N: 7-17-21	7. Other (list)	1234_/_5		
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"							
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"							
Section#	C/NC	R	Narrat <u>ive</u>			To Be Co	orrected By
415	C		Observed gnats around in Observed food debris on ca	iop sink.		4 do	ys
295	NC		Observed Food debris on ca	n opener blade.		Corre	cted
297	NC		Observed hardles on prep cooler in need of cleaning. I days				
			Observed inside of trash bir	n in need of		4 do	145
			Cleaning.	<i>,</i> , , , , , , , , , , , , , , , , , ,			
324	NC		Observed prep sink's faucet to have a constant leak. I week				
310	NC		Observed build-up of dust on a air venits in I week				
		ļ.,	Kitchen & in men's restroom.				
425	NC		Observed map water left in bucket overnight.				ay
416	NC_		Observed dead bugs in light schield I week				
1101	444	<u> </u>	in Kitchen (5).			· .	1
426	NC	ļ	Observed bucket near dumpster collecting water corrected				
1101		<u> </u>		rvae.			
431	NC	R	Observed floor in need			4 da	45
		ļ	Under Fryer & under 1	BQ Smoker.			
		ļ			•		
,	, .	1.11.4	- Call if exten		1	;	
Received by (name/and title printed): Inspected by (name and title printed): Thomas Snider, EHS							
Received by (signature): Inspected by (signature):							
floom thinks							
·cci	- Gr	<i>></i>	СС:	<u> </u>	cc:		
- 4							